

DATE: Tuesday, November 04, 2003

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ			
L25	L22 and substrate	13	L25
L24	L23 and substrate	6	L24
L23	L21 and 113	10	L23
L22	L21 and 112	104	L22
L21	drawn	383384	L21
L20	stimpson-don.in.	3	L20
L19	jansen-klaus.in.	3	L19
L18	L10 and 113	0	L18
L17	L10 and 112	0	L17
L16	L14 and 113	0	L16
L15	L14 and 112	0	L15
L14	preform body	348	L14
L13	stimpson.in.	38	L13
L12	jansen.in.	935	L12
L11	L10 same channel	18	L11
L10	drawn substrate	286	L10
DB=USPT,PGPB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ			
L9	13 and 14	0	L9
L8	L7 and hydrophobic	42	L8
L7	L6 and polyimide	54	L7
L6	L5 and glass	1251	L6
L5	L4 and L1	1442	L5
L4	immunoassay	39646	L4
L3	L2 and L1	13	L3
L2	drawn process	656	L2
L1	fiber optic	83581	L1

END OF SEARCH HISTORY